



KYSOR

A Division of Bergstrom Inc.

Air Conditioning & Heating
Replacement Parts

Chemicals & Lubricants

Lubricants	335
Retro A/C - Polyol Ester Oil	335
Retro A/C - Polyalkylene Glycol	335
Retro A/C - Polyalkylene Glycol with Leak Die	336
Refrigerant Oil	336
Mineral Oil	336
Vacuum Pump Oil	337
Chemicals	337
A/C Flush	337
Leak Stop	337
Maxi-Charge	337
Oil Charge	338
Chemical & Lubricant Specifications	338



Lubricants

Retro A/C - Polyol Ester Oil

Part No. 3099055	Part No. 3099061	Part No. 3099062	Part No. 3099063
Synthetic Polyol Ester Lubricant	Synthetic Polyol Ester Lubricant	Synthetic Polyol Ester Lubricant	Synthetic Polyol Ester Lubricant
			
Can be used in R-12 and R-134a systems	Can be used in R-12 and R-134a systems	Can be used in R-12 and R-134a systems	Can be used in R-12 and R-134a systems
Package Size: 4 x 1 Gal.	Package Size: 6 x 8 oz.	Package Size: 6 x 12 oz.	Package Size: 6 x 1 qt.

Part No. 3099069
R-134a Ester Oil with UV dye



A mid viscosity Ester oil mixed with R-134a for easy charging into an R-134a A/C system

Package Size: 6 x 8 oz.

Refrigerant Oil Comparison	
Other Brand's	Sanden
PAG 46	SP10
PAG 100	SP15
PAG 150	SP20

* SP10 is double end cap
SP20 discontinued, use SP15




CHEMICALS & LUBRICANTS

Retro A/C - Polyalkylene Glycol

Part No. 3099064	Part No. 3099065*	Part No. 3099066
PAG 46	PAG 100	PAG 150
		
A low viscosity ISO 46, Formulated for R-134a systems other than Ford or GM	For use in Seltec (Zexel, Diesel Kiki) R-134a compressors	PAG refrigerant oil for use when servicing Sanden R-134a compressors
Package Size: 6 x 8 oz.	Package Size: 6 x 8 oz.	Package Size: 6 x 8 oz.

NOTE: For Sanden equivalents, see Other Brand's to Sanden Comparison Chart above.

Retro A/C - Polyalkylene Glycol with Leak Die

Part No. 3099070	Part No. 3099071	Part No. 3099072
<p>PAG 46</p>  <p>A low viscosity ISO 46. Formulated for R-134a systems other than Ford or GM</p> <p>Package Size: 6 x 8 oz.</p>	<p>PAG 100</p>  <p>For use in Seltec (Zexel, Diesel Kiki) R-134a compressors</p> <p>Package Size: 6 x 8 oz.</p>	<p>PAG 150</p>  <p>PAG refrigerant oil for use when servicing Sanden R-134a compressors</p> <p>Package Size: 6 x 8 oz.</p>

Refrigerant Oil

Part No. 3099007	Part No. 3099008
<p>Refrigerant Oil</p>  <p>R-134a - Sanden SP-15</p> <p>Package Size: 6 - 8.4 oz.</p>	<p>Refrigerant Oil</p>  <p>R-134a - Ester oil for (CCI) York - Retro Fix II</p> <p>Package Size: 14 oz.</p>

Mineral Oil

Part No. 3099011	Part No. 3099047
<p>High Grade Mineral Lubricant</p>  <p>A premium mineral lubricant made specifically for R-12 A/C systems</p> <p>Package Size: 4 x 1 gal.</p>	<p>High Grade Mineral Lubricant</p>  <p>A premium mineral lubricant made specifically for R-12 A/C systems</p> <p>Package Size: 6 x 1 qt.</p>



Chemicals

Vacuum Pump Oil

Part No. 3099054

Vacuum Pump Oil



Package Size: 1 qt.

A/C Flush

Part No. 3099059

A/C Flush -
Solvent Based



Effective flushing agents available for removing debris and sludge out of A/C components

Package Size: 4 x 1 Gal.

Part No. 3099067

A/C Flush -
Solvent Based



Effective flushing agents available for removing debris and sludge out of A/C components

Package Size: 6 x 1 qt.

Part No. 3099068

A/C Flush -
Non-flammable



Effective flushing agents available for removing debris and sludge out of A/C components

Package Size: 6 x 1 qt.

Part No. 3099073

A/C Flush -
Non-flammable



Effective flushing agents available for removing debris and sludge out of A/C components

Package Size: 4 x 1 Gal.

Leak Stop

Part No. 3099058

Leak Stop



Helps to seal and detect most common A/C leaks in R-134a systems.

Package Size: 12 x 4 oz.

Maxi-Charge

Part No. 3099060

Maxi-Charge



R-134a refrigerant with a performance booster and a leak sealer and conditioner. Good for all R-134a A/C systems.

Package Size: 12 x 4 oz.

Oil Charge

Part No. 3099056	Part No. 3099057
R-134a Oil Charge	R-134a PAG Oil Charge
	
2 oz. R-134a/2 oz. Castrol Retro A/C, Ideal for top off of R-134a systems - Quick, Easy, and Economical	A mid viscosity PAG oil mixed with R-134a for easy charging into an R-134a A/C system
Package Size: 12 x 4 oz.	Package Size: 12 x 4 oz.

Chemical & Lubricant Specifications

Package Size	Description	Part No.
LUBRICANTS		
6 x 8 oz.	Retro A/C - Synthetic Polyol Ester Lubricant, Can be used in R-12 and R-134a systems	3099061
6 x 12 oz.	Retro A/C - Synthetic Polyol Ester Lubricant, Can be used in R-12 and R-134a systems	3099062
6 x 1 qt.	Retro A/C - Synthetic Polyol Ester Lubricant, Can be used in R-12 and R-134a systems	3099063
4 x 1 Gal.	Retro A/C - Synthetic Polyol Ester Lubricant, Can be used in R-12 and R-134a systems	3099055
6 x 8 oz.	Ester with Leak Die - Synthetic Polyol Ester Lubricant, Can be used in R-12 and R-134a systems	3099069
6 x 8 oz.	Retro A/C - PAG 46 A low viscosity ISO 46, Formulated for R-134a systems other than Ford or GM	3099064
6 x 8 oz.	Retro A/C - PAG 150 PAG refrigerant oil for use when servicing Sanden R-134a compressors	3099066
6 x 8 oz.	Retro A/C - PAG 100 For use in Seltec (Zexel, Diesel Kiki) R-134a compressors	3099065
6 x 8.4 oz.	Refrigerant Oil - R-134a Sanden SP20	3099007
6 x 8 oz.	Retro A/C - PAG 46 with Leak Die - A low viscosity ISO 46, Formulated for R-134a systems other than Ford or GM	3099070
6 x 8 oz.	Retro A/C - PAG 150 with Leak Die - PAG refrigerant oil for use when servicing Sanden R-134a compressors	3099072
6 x 8 oz.	Retro A/C - PAG 100 with Leak Die - For use in Seltec (Zexel, Diesel Kiki) R-134a compressors	3099071
14 oz.	Refrigerant Oil - R-134a - Ester oil for (CCI) York Retro Fix II	3099008
6 x 1 qt.	Mineral Oil - A premium mineral lubricant made specifically for R-12 A/C systems	3099047
4 x 1 Gal.	Mineral Oil - A premium mineral lubricant made specifically for R-12 A/C systems	3099011
qt.	Vacuum Pump Oil	3099054
CHEMICALS		
4 x 1 Gal.	A/C Flush - Solvent based. Effective flushing agents available for removing debris and sludge out of A/C components	3099059
6 x 1 qt.	A/C Flush - Solvent based. Effective flushing agents available for removing debris and sludge out of A/C components	3099067
4 x 1 Gal.	A/C Flush - Non-flammable Effective flushing agents available for removing debris and sludge out of A/C components	3099073
6 x 1 qt.	A/C Flush - Non-flammable Effective flushing agents available for removing debris and sludge out of A/C components	3099068
12 x 4 oz.	Leak Stop - Helps to seal and detect most common A/C leaks in R-134a systems	3099058
12 x 14 oz.	Maxi-Charge - R-134a refrigerant with a performance booster and a leak sealer and conditioner. Good for all R-134a A/C systems.	3099060
12 x 4 oz.	2 oz. R-134a/2 oz. Castrol Retro A/C, Ideal for top off of R-134a systems, Quick, Easy, and Economical	3099056
12 x 4 oz.	A mid viscosity PAG oil mixed with R-134a for easy charging into an R-134a system	3099057



