



KYSOR

A Division of Bergstrom Inc.

Air Conditioning & Heating
Replacement Parts

Chemicals & Lubricants

Lubricants	335
Retro A/C - Polyol Ester Oil	335
Retro A/C - Polyalkylene Glycol	335
Retro A/C - Polyalkylene Glycol with Leak Die	336
Refrigerant Oil	336
Mineral Oil	336
Vacuum Pump Oil	337
 Chemicals	 337
A/C Flush	337
Leak Stop	337
Maxi-Charge	337
Oil Charge	338
 Chemical & Lubricant Specifications	 338



Lubricants

Retro A/C - Polyol Ester Oil

Part No. 3099055	Part No. 3099061	Part No. 3099062	Part No. 3099063
<p>Synthetic Polyol Ester Lubricant</p>  <p>Can be used in R-12 and R-134a systems</p> <p>Package Size: 4 x 1 Gal.</p>	<p>Synthetic Polyol Ester Lubricant</p>  <p>Can be used in R-12 and R-134a systems</p> <p>Package Size: 6 x 8 oz.</p>	<p>Synthetic Polyol Ester Lubricant</p>  <p>Can be used in R-12 and R-134a systems</p> <p>Package Size: 6 x 12 oz.</p>	<p>Synthetic Polyol Ester Lubricant</p>  <p>Can be used in R-12 and R-134a systems</p> <p>Package Size: 6 x 1 qt.</p>

Part No. 3099069
R-134a Ester Oil with UV dye



A mid viscosity Ester oil mixed with R-134a for easy charging into an R-134a A/C system

Package Size: 6 x 8 oz.

Refrigerant Oil Comparison	
Other Brand's	Sanden
PAG 46	SP10
PAG 100	SP15
PAG 150	SP20

* SP10 is double end cap
SP20 discontinued, use SP15




CHEMICALS & LUBRICANTS

Retro A/C - Polyalkylene Glycol

Part No. 3099064	Part No. 3099065*	Part No. 3099066
<p>PAG 46</p>  <p>A low viscosity ISO 46, Formulated for R-134a systems other than Ford or GM</p> <p>Package Size: 6 x 8 oz.</p>	<p>PAG 100</p>  <p>For use in Seltec (Zexel, Diesel Kiki) R-134a compressors</p> <p>Package Size: 6 x 8 oz.</p>	<p>PAG 150</p>  <p>PAG refrigerant oil for use when servicing Sanden R-134a compressors</p> <p>Package Size: 6 x 8 oz.</p>

NOTE: For Sanden equivalents, see Other Brand's to Sanden Comparison Chart above.

Retro A/C - Polyalkylene Glycol with Leak Die

Part No. 3099070	Part No. 3099071	Part No. 3099072
PAG 46	PAG 100	PAG 150
		
A low viscosity ISO 46. Formulated for R-134a systems other than Ford or GM	For use in Seltec (Zexel, Diesel Kiki) R-134a compressors	PAG refrigerant oil for use when servicing Sanden R-134a compressors
Package Size: 6 x 8 oz.	Package Size: 6 x 8 oz.	Package Size: 6 x 8 oz.

Refrigerant Oil

Part No. 3099007	Part No. 3099008
Refrigerant Oil	Refrigerant Oil
	
R-134a - Sanden SP-15	R-134a - Ester oil for (CCI) York - Retro Fix II
Package Size: 6 - 8.4 oz.	Package Size: 14 oz.

Mineral Oil

Part No. 3099011	Part No. 3099047
High Grade Mineral Lubricant	High Grade Mineral Lubricant
	
A premium mineral lubricant made specifically for R-12 A/C systems	A premium mineral lubricant made specifically for R-12 A/C systems
Package Size: 4 x 1 gal.	Package Size: 6 x 1 qt.



Chemicals

Vacuum Pump Oil

Part No. 3099054

Vacuum Pump Oil



Package Size: 1 qt.

A/C Flush

Part No. 3099059

A/C Flush -
Solvent Based



Effective flushing agents available for removing debris and sludge out of A/C components

Package Size: 4 x 1 Gal.

Part No. 3099067

A/C Flush -
Solvent Based



Effective flushing agents available for removing debris and sludge out of A/C components

Package Size: 6 x 1 qt.

Part No. 3099068

A/C Flush -
Non-flammable



Effective flushing agents available for removing debris and sludge out of A/C components

Package Size: 6 x 1 qt.

Part No. 3099073

A/C Flush -
Non-flammable



Effective flushing agents available for removing debris and sludge out of A/C components

Package Size: 4 x 1 Gal.

Leak Stop

Part No. 3099058

Leak Stop



Helps to seal and detect most common A/C leaks in R-134a systems.

Package Size: 12 x 4 oz.

Maxi-Charge

Part No. 3099060

Maxi-Charge



R-134a refrigerant with a performance booster and a leak sealer and conditioner. Good for all R-134a A/C systems.

Package Size: 12 x 4 oz.

Oil Charge

Part No. 3099056	Part No. 3099057
R-134a Oil Charge	R-134a PAG Oil Charge
	
2 oz. R-134a/2 oz. Castrol Retro A/C, Ideal for top off of R-134a systems - Quick, Easy, and Economical	A mid viscosity PAG oil mixed with R-134a for easy charging into an R-134a A/C system
Package Size: 12 x 4 oz.	Package Size: 12 x 4 oz.

Chemical & Lubricant Specifications

Package Size	Description	Part No.
LUBRICANTS		
6 x 8 oz.	Retro A/C - Synthetic Polyol Ester Lubricant, Can be used in R-12 and R-134a systems	3099061
6 x 12 oz.	Retro A/C - Synthetic Polyol Ester Lubricant, Can be used in R-12 and R-134a systems	3099062
6 x 1 qt.	Retro A/C - Synthetic Polyol Ester Lubricant, Can be used in R-12 and R-134a systems	3099063
4 x 1 Gal.	Retro A/C - Synthetic Polyol Ester Lubricant, Can be used in R-12 and R-134a systems	3099055
6 x 8 oz.	Ester with Leak Die - Synthetic Polyol Ester Lubricant, Can be used in R-12 and R-134a systems	3099069
6 x 8 oz.	Retro A/C - PAG 46 A low viscosity ISO 46, Formulated for R-134a systems other than Ford or GM	3099064
6 x 8 oz.	Retro A/C - PAG 150 PAG refrigerant oil for use when servicing Sanden R-134a compressors	3099066
6 x 8 oz.	Retro A/C - PAG 100 For use in Seltec (Zexel, Diesel Kiki) R-134a compressors	3099065
6 x 8.4 oz.	Refrigerant Oil - R-134a Sanden SP20	3099007
6 x 8 oz.	Retro A/C - PAG 46 with Leak Die - A low viscosity ISO 46, Formulated for R-134a systems other than Ford or GM	3099070
6 x 8 oz.	Retro A/C - PAG 150 with Leak Die - PAG refrigerant oil for use when servicing Sanden R-134a compressors	3099072
6 x 8 oz.	Retro A/C - PAG 100 with Leak Die - For use in Seltec (Zexel, Diesel Kiki) R-134a compressors	3099071
14 oz.	Refrigerant Oil - R-134a - Ester oil for (CCI) York Retro Fix II	3099008
6 x 1 qt.	Mineral Oil - A premium mineral lubricant made specifically for R-12 A/C systems	3099047
4 x 1 Gal.	Mineral Oil - A premium mineral lubricant made specifically for R-12 A/C systems	3099011
qt.	Vacuum Pump Oil	3099054
CHEMICALS		
4 x 1 Gal.	A/C Flush - Solvent based. Effective flushing agents available for removing debris and sludge out of A/C components	3099059
6 x 1 qt.	A/C Flush - Solvent based. Effective flushing agents available for removing debris and sludge out of A/C components	3099067
4 x 1 Gal.	A/C Flush - Non-flammable Effective flushing agents available for removing debris and sludge out of A/C components	3099073
6 x 1 qt.	A/C Flush - Non-flammable Effective flushing agents available for removing debris and sludge out of A/C components	3099068
12 x 4 oz.	Leak Stop - Helps to seal and detect most common A/C leaks in R-134a systems	3099058
12 x 14 oz.	Maxi-Charge - R-134a refrigerant with a performance booster and a leak sealer and conditioner. Good for all R-134a A/C systems.	3099060
12 x 4 oz.	2 oz. R-134a/2 oz. Castrol Retro A/C, Ideal for top off of R-134a systems, Quick, Easy, and Economical	3099056
12 x 4 oz.	A mid viscosity PAG oil mixed with R-134a for easy charging into an R-134a system	3099057



