



# Bergstrom

China

## Receiver Driers and Accumulators Guide




**Aluminum Receivers Driers**



**Steel Receivers Driers**



**Aluminum Accumulators**



# Company Overview

## Bergstrom Inc.

---

Established in 1949, Bergstrom Inc. global headquarters are located in Rockford, Illinois, USA. For over 60 years, many of the world's largest commercial vehicle manufacturer's have relied on Bergstrom's HVAC systems to keep their customers comfortable, safe and productive. As their customers have expanded globally, so too has Bergstrom. Bergstrom has manufacturing facilities in both Europe and China.

## Bergstrom China

---

Established in 1998, in the New Development Zone of Changzhou City, Bergstrom China has its own import and export license. Besides manufacturing complete HVAC Systems, Bergstrom China also manufactures components, such as Motors, Heat Exchangers, Receiver Driers, Accumulators, Blower Assemblies, Water Valves and Defrost Fans.

Bergstrom China has experienced strong growth every year since they started making receiver driers in 2001. Bergstrom China currently supplies receiver driers worldwide in Commercial Vehicle OE and aftermarket Applications. Bergstrom China's commitment to excellent quality has earned them the following honors:

- 2001 ISO 9001 Registered
- 2002 QS-9000 Registered
- 2004 High/New-Tech Enterprise of Jiangsu Province
- 2009 TS16949 Registered





# Table of Contents

## Receiver Driers

### Aluminum Receiver Driers

Φ 32.0 mm	(Φ 1.26")
Φ 41.0 mm	(Φ 1.61")
Φ 60.0 mm	(Φ 2.36")
Φ 73.5 mm	(Φ 2.89")

In-Line Style.....	1
In-Line Style.....	2
Standard Style.....	3
Special Style.....	4

### Steel Aluminum Receiver Driers


Φ 43.0 mm	(Φ 1.69")
Φ 63.5 mm	(Φ 2.50")
Φ 76.2 mm	(Φ 3.00")
Φ 101.6 mm	(Φ 4.00")

In-Line Style.....	5
In-Line Style.....	6-7
Standard Style.....	8-14
Standard Style.....	15


## Accumulators

Φ 89.0 mm (Φ 3.50")	.....	16
---------------------	-------	----

### Receiver Driers




### Accumulators



Aluminum Receiver Driers    Φ 32.0 mm (Φ 1.26") Diameter

Part Number	Diameter	Length	Inlet	Outlet	Switch Port	Sight Glass	Fuse Plug	Moisture Indicator	High Pressure Relief Valve	Low Pressure Switch Port	Leak Dye Wafer	Note
T0522003A	1.26"	15"	Φ 8	Φ 8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

Illustration	Description	Note
<div><div>T522003A</div><div></div></div>	<ul style="list-style-type: none"><li>• 1.26" Diameter</li><li>• 15" Height</li></ul>	Combine with condenser by brazing





Aluminum Receiver Driers

Φ 41.0 mm (Φ 1.61") Diameter



Φ 41.0 mm (Φ 1.61") Diameter

Part Number	Diameter	Length	Inlet	Outlet	Switch Port	Sight Glass	Fuse Plug	Moisture Indicator	High Pressure Relief Valve	Low Pressure Switch Port	Leak Dye Wafer	Note
T0522012	1.61"	12.24"	Φ 8	Φ 8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

Illustration	Description	Note
<div><div>T0522012</div><div></div></div>	<ul style="list-style-type: none"><li>1.61" Diameter</li><li>12.24" Height</li></ul>	Combine with condenser by brazing

# Aluminum Receiver Driers    Φ 60.0 mm (Φ 2.36") Diameter

Part Number	Diameter	Length	Inlet	Outlet	Switch Port	Sight Glass	Fuse Plug	Moisture Indicator	High Pressure Relief Valve	Low Pressure Switch Port	Leak Dye Wafer	Note
T0520087	2.36"	7.35"	M16 x 1.5	M16 x 1.5								
T0522010	2.36"	7.35"	5/8"	5/8"								

Illustration	Description	Note
<p>T0520087</p> 	<ul style="list-style-type: none"> <li>• 2.36" Diameter</li> <li>• 7.35" Height</li> <li>• M16x1.5 Male inlet</li> <li>• M16x1.5 Male outlet</li> </ul>	
<p>T0522010</p> 	<ul style="list-style-type: none"> <li>• 2.36" Diameter</li> <li>• 7.35" Height</li> <li>• 5/8" Male O-ring inlet</li> <li>• 5/8" Male O-ring outlet</li> </ul>	

# Aluminum Receiver Driers    $\Phi 73.5$ mm ( $\Phi 2.89$ ") Diameter

$\Phi 73.5$  mm ( $\Phi 2.89$ ") Diameter

Part Number	Diameter	Length	Inlet	Outlet	Switch Port	Sight Glass	Fuse Plug	Moisture Indicator	High Pressure Relief Valve	Low Pressure Switch Port	Leak Dye Wafer	Note
T0520084	2.90"	7.06"	$\Phi 15.54$	$\Phi 21.21$	Y					Y	Y	
T0520085	2.90"	7.06"	$\Phi 15.54$	$\Phi 15.54$ ; $\Phi 21.21$	Y					Y	Y	


Illustration	Description	Note
<p>T0520084</p> 	<ul style="list-style-type: none"> <li>● <math>\Phi 2.89</math>" Diameter</li> <li>● 7.06" Height</li> <li>● <math>\Phi 15.54</math> Female inlet</li> <li>● <math>\Phi 21.21</math> Female outlet</li> <li>● Low pressure Switch Port</li> <li>● R134a charge port</li> <li>● Leak Dye Wafer</li> </ul>	
<p>T0520085</p> 	<ul style="list-style-type: none"> <li>● <math>\Phi 2.89</math>" Diameter</li> <li>● 7.06" Height</li> <li>● <math>\Phi 15.54</math> Female inlet</li> <li>● <math>\Phi 15.54</math>; <math>\Phi 21.21</math> Female outlet</li> <li>● Low pressure Switch Port</li> <li>● R134a charge port</li> <li>● Leak Dye Wafer</li> </ul>	



# Steel Receiver Driers

Φ 43.0 mm (Φ 1.69") Diameter

Part Number	Diameter	Length	Inlet	Outlet	Switch Port	Sight Glass	Fuse Plug	Moisture Indicator	High Pressure Relief Valve	Low Pressure Switch Port	Leak Dye Wafer	Note
T0522008	1.69"	3.84"	Φ 6.45	Φ 6.45								In-line R/D

Illustration	Description	Note
<p>T0522008</p> 	<ul style="list-style-type: none"> <li>● 1.69" Diameter</li> <li>● 3.84" Height</li> <li>● Φ 6.45 inlet (copper )</li> <li>● Φ 6.45 outlet(copper )</li> <li>● High Pressure Relief Valve</li> <li>● Solid Desiccant core</li> </ul>	<p>In-line Receiver drier</p>






# Steel Receiver Driers $\Phi 63.5$ mm ( $\Phi 2.50$ ") Diameter

$\Phi 63.5$  mm ( $\Phi 2.50$ ") Diameter

Part Number	Diameter	Length	Inlet	Outlet	Switch Port	Sight Glass	Fuse Plug	Moisture Indicator	High Pressure Relief Valve	Low Pressure Switch Port	Leak Dye Wafer	Note
T0520062	2.50"	9.52"	5/8"	5/8"								
T0520064	2.50"	4.52"	$\Phi 8.12$	$\Phi 6.5$					Y			
T0520076	2.50"	6.71"	5/8"	5/8"		Y						
T0520081A	2.50"	13.83"	QD	QD							Y	
T0520082	2.50"	9.52"	5/8"	5/8"						Y		
T0520086	2.50"	5.82"	$\Phi 8.12$	$\Phi 6.5$					Y			
T0522001	2.50"	10.03"	5/8"	5/8"		Y		Y				
T0522004	2.50"	8.32"	5/8"	5/8"						Y		

Illustration	Description	Note
<p>T0520062</p> 	<ul style="list-style-type: none"> <li>● 2.50" Diameter</li> <li>● 9.52" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> </ul>	In-line Receiver drier
<p>T0520064</p> 	<ul style="list-style-type: none"> <li>● 2.50" Diameter</li> <li>● 4.52" Height</li> <li>● <math>\Phi 8.12</math> inlet (copper )</li> <li>● <math>\Phi 6.5</math> outlet(copper )</li> <li>● High Pressure Relief Valve</li> <li>● Solid Desiccant core</li> </ul>	In-line Receiver drier
<p>T0520076</p> 	<ul style="list-style-type: none"> <li>● 2.50" Diameter</li> <li>● 6.71" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> <li>● Sight glass</li> </ul>	

# Steel Receiver Driers Φ 63.5 mm (Φ 2.50") Diameter

Illustration	Description	Note
<p>T0520081A</p> 	<ul style="list-style-type: none"> <li>● 2.50" Diameter</li> <li>● 13.83" Height</li> <li>● Quick disconnect inlet</li> <li>● Quick disconnect outlet</li> <li>● Leak wafer dye</li> </ul>	<p>In-line Receiver drier</p>
<p>T0520082</p> 	<ul style="list-style-type: none"> <li>● 2.50" Diameter</li> <li>● 9.52" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> <li>● 3/8" Low pressure switch port</li> </ul>	<p>In-line Receiver drier</p>
<p>T0520086</p> 	<ul style="list-style-type: none"> <li>● 2.50" Diameter</li> <li>● 5.82" Height</li> <li>● Φ 8.12 inlet (copper )</li> <li>● Φ 6.5 outlet(copper )</li> <li>● High Pressure Relief Valve</li> <li>● Solid Desiccant core</li> </ul>	<p>In-line Receiver drier</p>
<p>T0522001</p> 	<ul style="list-style-type: none"> <li>● 2.50" Diameter</li> <li>● 10.03" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> <li>● Solid Desiccant core</li> <li>● Sight glass</li> <li>● Moisture indicator</li> </ul>	<p>In-line Receiver drier</p>
<p>T0520004</p> 	<ul style="list-style-type: none"> <li>● 2.50" Diameter</li> <li>● 8.32" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> <li>● 3/8" low pressure switch port</li> </ul>	<p>In-line Receiver drier</p>



Part Number	Diameter	Length	Inlet	Outlet	Switch Port	Sight Glass	Fuse Plug	Moisture Indicator	High Pressure Relief Valve	Low Pressure Switch Port	Leak Dye Wafer	Note
T0520007	3.00"	9.94"	5/8"	5/8"	Y	Y						
T0520008	3.00"	9.94"	5/8"	5/8"		Y		Y				
T0520009	3.00"	9.18"	5/8"	5/8"		Y		Y	Y			
T0520010	3.00"	9.18"	5/8"	5/8"	Y	Y		Y	Y			
T0520011	3.00"	9.94"	11/16"	5/8"	Y	Y			Y			
T0520028	3.00"	9.94"	11/16"	5/8"		Y		Y	Y			
T0520029	3.00"	9.94"	5/8"	5/8"	Y	Y			Y			
T0520030	3.00"	9.94"	5/8"	5/8"	Y	Y			Y			
T0520031	3.00"	9.94"	5/8"	5/8"	Y	Y		Y	Y			
T0520032	3.00"	8.23"	5/8"	5/8"	Y	Y		Y	Y			
T0520035	3.00"	10.72"	Φ 10.5	Φ 10.5								
T0520037	3.00"	9.94"	5/8"	5/8"	Y	Y	Y	Y				
T0520038	3.00"	9.18"	5/8"	5/8"				Y	Y			
T0520039	3.00"	9.94"	5/8"	5/8"		Y		Y	Y			
T0520040	3.00"	8.23"	5/8"	5/8"	Y	Y		Y	Y			
T0520041	3.00"	9.18"	5/8"	5/8"				Y				
T0520042	3.00"	8.23"	5/8"	5/8"	Y	Y			Y			
T0520044	3.00"	10.20"	Φ 8.6	Φ 8.6								
T0520045	3.00"	9.94"	QD	QD								
T0520051	3.00"	10.20"	Φ 8.6	Φ 8.6								
T0520063	3.00"	9.94"	5/8"	5/8"		Y		Y			Y	
T0520069	3.00"	10.72"										
T0520070	3.00"	10.72"										
T0520074	3.00"	9.08"	5/8"	5/8"		Y	Y					
T0520077	3.00"	9.94"	5/8"	5/8"		Y		Y	Y			
T0520079	3.00"	9.08"	5/8"	5/8"		Y			Y			
T0522006	3.00"	10.72"									Y	
T0522007	3.00"	10.72"										
T0522009	3.00"	9.0"	5/8"	5/8"		Y			Y			

# Steel Receiver Driers

Φ 76.2 mm (Φ 3.00") Diameter

	Illustration	Description	Note
T0520007		<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 9.94" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Female O-ring outlet</li> <li>● High Pressure Relief Valve</li> <li>● M10"1.25 switch port</li> <li>● Sight glass</li> </ul>	
T0520008		<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 9.94" Height</li> <li>● 5/8" Female O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> <li>● Sight glass</li> <li>● Moisture indicator</li> </ul>	
T0520009		<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 9.18" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> <li>● High Pressure Relief Valve</li> <li>● Sight glass</li> <li>● Moisture indicator</li> </ul>	
T0520010		<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 9.18" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> <li>● High Pressure Relief Valve</li> <li>● Moisture indicator</li> <li>● 7/16" - 20UNF switch port</li> </ul>	
T0520011		<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 9.94" Height</li> <li>● 11/16" Female O-ring inlet</li> <li>● 5/8" Female O-ring outlet</li> <li>● High Pressure Relief Valve</li> <li>● R134a charge port</li> <li>● Sight glass</li> </ul>	

Illustration	Description	Note
<p>T0520028</p> 	<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 9.94" Height</li> <li>● 11/16" Female O-ring inlet</li> <li>● 5/8" Female O-ring outlet</li> <li>● High Pressure Relief Valve</li> <li>● Sight glass</li> </ul>	
<p>T0520029</p> 	<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 9.94" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> <li>● High Pressure Relief Valve</li> <li>● 7/16"-18UNF port</li> <li>● Sight glass</li> <li>● Moisture indicator</li> </ul>	
<p>T0520030</p> 	<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 9.94" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Female O-ring outlet</li> <li>● High Pressure Relief Valve</li> <li>● 2-7/16"-18UNF port</li> <li>● Sight glass</li> </ul>	
<p>T0520031</p> 	<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 9.94" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> <li>● High Pressure Relief Valve</li> <li>● M10 1.25 switch port</li> <li>● Moisture indicator</li> <li>● Sight glass</li> </ul>	
<p>T0520032</p> 	<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 8.23" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> <li>● High Pressure Relief Valve</li> <li>● Sight glass</li> <li>● Moisture indicator</li> <li>● 3/8"-18UNF low pressure switch port</li> </ul>	



# Steel Receiver Driers

Φ 76.2 mm (Φ 3.00") Diameter

	Illustration	Description	Note
T0520035		<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 10.72" Height</li> <li>● Φ 10.5 inlet</li> <li>● Φ 10.5 outlet</li> <li>● M6" 1 stud</li> </ul>	
T0520037		<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 9.94" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> <li>● Moisture indicator</li> <li>● 7/16"-20UNF switch port</li> <li>● Fuse plug</li> <li>● Sight glass</li> </ul>	
T0520038		<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 9.18" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> <li>● High Pressure Relief Valve</li> <li>● Moisture indicator</li> </ul>	
T0520039		<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 9.94" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> <li>● High Pressure Relief Valve</li> <li>● Moisture indicator</li> <li>● 3/8"-18UNF low pressure switch port</li> <li>● Sight glass</li> </ul>	
T0520040		<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 8.23" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Female O-ring outlet</li> <li>● High Pressure Relief Valve</li> <li>● Sight glass</li> <li>● 7/16" - 20UNF switch port</li> </ul>	

Illustration	Description	Note
<p>T0520041</p> 	<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 9.18" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> <li>● Moisture indicator</li> </ul>	
<p>T0520042</p> 	<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 8.23" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> <li>● High Pressure Relief Valve</li> <li>● Sight glass</li> <li>● 3/8"-18UNF low pressure switch port</li> </ul>	
<p>T0520044</p> 	<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 10.20" Height</li> <li>● Φ 8.6 inlet</li> <li>● Φ 8.6 outlet</li> <li>● M10"1.25 switch port</li> </ul>	
<p>T0520045</p> 	<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 9.94" Height</li> <li>● Quick disconnect inlet</li> <li>● Quick disconnect outlet</li> <li>● 2-M10 x 1.25 switch port</li> <li>● Sight glass</li> </ul>	
<p>T0520051</p> 	<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 10.20" Height</li> <li>● Φ 8.6 inlet</li> <li>● Φ 8.6 outlet</li> <li>● 2-M10 x 1.25 switch port</li> </ul>	

# Steel Receiver Driers

Φ 76.2 mm (Φ 3.00") Diameter










	Illustration	Description	Note
T0520063		<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 9.94" Height</li> <li>● 5/8" Female O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> <li>● Sight glass</li> <li>● Moisture indicator</li> <li>● Leak Dye Wafer</li> </ul>	
T0520069		<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 10.72" Height</li> <li>● Port #6 inlet</li> <li>● Port #6 outlet</li> <li>● M6"1 stud</li> </ul>	
T0520070		<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 10.72" Height</li> <li>● Port #6 inlet</li> <li>● Port #6 outlet</li> <li>● M6"1 stud</li> </ul>	
T0520074		<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 9.08" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> <li>● Sight glass</li> <li>● Fuse plug</li> </ul>	
T0520077		<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 9.94" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Female O-ring outlet</li> <li>● High Pressure Relief Valve</li> <li>● Moisture indicator</li> <li>● Sight glass</li> </ul>	



Illustration	Description	Note
<p>T0520079</p> 	<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 9.08" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> <li>● Sight glass</li> <li>● High Pressure Relief Valve</li> </ul>	
<p>T0522006</p> 	<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 10.72" Height</li> <li>● Φ 10.82 inlet</li> <li>● 2-Φ 10.82 outlet</li> <li>● M6" 1 stud</li> </ul>	
<p>T0522007</p> 	<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 10.72" Height</li> <li>● Port #6 inlet</li> <li>● Port #6 outlet</li> <li>● M6"1 stud</li> </ul>	
<p>T0522009</p> 	<ul style="list-style-type: none"> <li>● 3.00" Diameter</li> <li>● 9.0" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> <li>● Sight glass</li> <li>● High Pressure Relief Valve</li> </ul>	




# Steel Receiver Driers


Φ 101.6 mm (Φ 4.00") Diameter

Part Number	Diameter	Length	Inlet	Outlet	Switch Port	Sight Glass	Fuse Plug	Moisture Indicator	High Pressure Relief Valve	Low Pressure Switch Port	Leak Dye Wafer	Note
T0520078	4.00"	8.40"	5/8"	5/8"		Y	Y	Y		Y		
T0520083	4.00"	6.67"	Φ 11.73	Φ 11.73							Y	Bracket
T0522005	4.00"	7.80"	5/8"	5/8"								

Illustration	Description	Note
<p>T0520078</p> 	<ul style="list-style-type: none"> <li>● 4.00" Diameter</li> <li>● 8.40" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Male O-ring outlet</li> <li>● Fuse plug</li> <li>● Moisture Indicator</li> <li>● 3/8"-18UNF low pressure switch port</li> <li>● Sight glass</li> </ul>	
<p>T0520083</p> 	<ul style="list-style-type: none"> <li>● 4.00" Diameter</li> <li>● 6.67" Height</li> <li>● Φ 11.73 inlet</li> <li>● Φ 11.73 outlet</li> <li>● Tracer wafer dye</li> <li>● Bracket</li> </ul>	
<p>T0522005</p> 	<ul style="list-style-type: none"> <li>● 4.00" Diameter</li> <li>● 7.80" Height</li> <li>● 5/8" Male O-ring inlet</li> <li>● 5/8" Female O-ring outle</li> </ul>	In-line Receiver drier

Part Number	Diameter	Length	Inlet	Outlet	Switch Port	Sight Glass	Fuse Plug	Moisture Indicator	High Pressure Relief Valve	Low Pressure Switch Port	Leak Dye Wafer	Note
T0620002	3.50"	9.39"	Φ 21.21	Φ 21.21							Y	Bracket
T0620003	3.50"	9.09"	17/16"	17/16"								
T0620004	3.50"	9.09"	Φ 20.17	Φ 20.17								

Illustration	Description	Note
<p>T0620002</p> 	<ul style="list-style-type: none"> <li>● 3.50" Diameter</li> <li>● 9.39" Height</li> <li>● Φ 21.21 inlet</li> <li>● Φ 21.21 outlet</li> <li>● Leak dye wafer</li> </ul>	
<p>T0620003</p> 	<ul style="list-style-type: none"> <li>● 3.50" Diameter</li> <li>● 9.09" Height</li> <li>● 17/16" Female O-ring inlet</li> <li>● 17/16" Female O-ring outlet</li> </ul>	
<p>T0620004</p> 	<ul style="list-style-type: none"> <li>● 3.50" Diameter</li> <li>● 9.09" Height</li> <li>● Φ 20.17 inlet</li> <li>● Φ 20.17 outlet</li> </ul>	



# Bergstrom

*Climate Control Systems*

## World Headquarters

### Bergstrom Climate Systems

2390 Blackhawk Road  
P.O. Box 6007  
Rockford, IL 61125 U.S.A.  
815.874.7821  
[www.bergstrominc.com](http://www.bergstrominc.com)

## Aftermarket Operations

### Bergstrom Parts

5910 Falcon Road  
Rockford, IL 61109  
815.874.7821  
[www.bergstrominc.com](http://www.bergstrominc.com)

## European Operations

### Bergstrom Europe

Dyffryn Business Park  
Ystrad Mynach  
CF82 7RJ  
Wales, United Kingdom  
011.44.144.386.2122  
[www.bergstrominc.com](http://www.bergstrominc.com)

## Asia-Pacific Operations

### Bergstrom China

28 AoYuan Road, New District  
Changzhou, Jiangsu, China 213125  
011.86.519.8511.7821  
**Bergstrom China US Office**  
5910 Falcon Rd., Rockford, IL 61109  
815.873.4602  
815.873.4606  
[www.bergstromchina.com](http://www.bergstromchina.com)